

How to tie the Windsor knot.

Wide and Triangular.

A full knot best suited for spread collar shirts.



1. The wide end "A" should extend about 12 inches below narrow end "B". Cross wide end "A" over narrow end "B".



2. Bring wide end "A" up through loop between collar and tie; then back down.



3. Pull wide end "A" underneath narrow end "B" and to the left, and back through the loop again.



4. Bring wide end "A" across the front from left to right.



5. Pull wide end "A" up through the loop again.



6. Bring wide end "A" down through the knot in front.



7. Using both hands, tighten the knot carefully and draw up to collar.

How to tie the Half Windsor knot.

Symmetrical and Triangular.

A knot you can use with any dress shirt.



1. The wide end "A" should extend about 12 inches below narrow end "B". Cross wide end "A" over narrow end "B".



2. Bring wide end "A" up around and behind narrow end "B".



3. Bring wide end "A" up.



4. Pull wide end "A" up and through the loop.



5. Bring wide end "A" around front, over narrow end "B" from left to right.



6. Again, bring wide end "A" up and through the loop.



7. Bring wide end "A" down through the knot in front.



8. Using both hands, tighten the knot carefully and draw up to collar.

How to tie the Four-in-Hand knot.

Narrow and slightly asymmetrical.

The perfect knot for a standard button-down dress shirt.



1. The wide end "A" should extend about 12 inches below narrow end "B". Cross wide end "A" over narrow end "B".



2. Turn wide end "A" back underneath narrow end "B".



3. Continue by bringing wide end "A" back over in front of narrow end "B" again.



4. Pull wide end "A" up and through the loop around your neck.



5. Hold the front of the knot loosely with your index finger and bring wide end "A" down through front loop.



6. Remove finger and tighten knot carefully to collar by holding narrow end "B" and sliding the knot up.

How to tie the Pratt knot.



1. Start with the tie inside out, The wide end "A" under the narrow end "B".




2. Take wide end "A" over and under narrow end "B".



3. Pull the loop down and tighten.



4. Take wide end "A" over to the left.



5. Pull wide end "A" up, behind the loop.



6. Bring wide end "A" through the knot and gently tighten. The tip of "A" should touch your belt buckle.